

Verification of Conformity

NO.: ENS2510200261S00101C

The following product has been tested by us with the listed standards and found in conformity with the council LVD directive 2014/35/EU. This is to verify that the specimen complies with the assessment requirements stated below. This verification does not constitute an assessment of the product production process.

Applicant : Acrel Co., Ltd.

Address of Applicant : No. 253, Yulv Road, Jiading, Shanghai, China

Manufacturer : Acrel Co., Ltd.

Address of Manufacturer : No. 253, Yulv Road, Jiading, Shanghai, China

Trade Mark : 

Product Description : Current Transformer

Model(s) : (See Appendix)

Rating(s) : For AKH-0.66 220x50II
Measuring range: 1500-6000A
Secondary output: 5A/1A
Rated Frequency: 50/60Hz
Rated Voltage: 0.66kV
Also see Appendix

Test Standard(s) : EN 61010-1:2010+A1:2019

Test Report No.(s) : ENS2510200261S00101R


Angel Lan (Manager)
Date: November 26, 2025



The certificate is based on a single evaluation of testing samples of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.

EMTEK (Shenzhen) Co., Ltd.

Add: Building 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, China [Http://www.emtek.com.cn](http://www.emtek.com.cn) E-mail: cs.rep@emtek.com.cn

Appendix

NO.: ENS2510200261S00101C

M/N

: AKH-0.66 30I, AKH-0.66 20I, AKH-0.66 40I, AKH-0.66 60I, AKH-0.66 80I, AKH-0.66 30II, AKH-0.66 40II, AKH-0.66 50II, AKH-0.66 50*50II, AKH-0.66 60II, AKH-0.66 60*50II, AKH-0.66 80II, AKH-0.66 80*50II, AKH-0.66 100II, AKH-0.66 100*50II, AKH-0.66 100*50II-B, AKH-0.66 100*80II, AKH-0.66 100*80II-H, AKH-0.66 120*80II, AKH-0.66 120*80II-H, AKH-0.66 130*50II, AKH-0.66 150*50II, AKH-0.66 170*100II, AKH-0.66 200*50II, AKH-0.66 220*50II, AKH-0.66 260*50II, AKH-0.66 260*100II, AKH-0.66 60III, AKH-0.66 80III, AKH-0.66 100III, AKH-0.66 130III, AKH-0.66 130*80III-N, AKH-0.66 M8, AKH-0.66 shuangM8, AKH-0.66 Z-3*Φ10, AKH-0.66 Z-3*Φ15, AKH-0.66 Z-3*Φ20, AKH-0.66 Z-3*Φ35, AKH-0.66 W-7, AKH-0.66 W-8, AKH-0.66 W-11, AKH-0.66 W-12, AKH-0.66 W-20, AKH-0.66 W-30, AKH-0.66 W-9N, AKH-0.66 W-9C, AKH-0.66 W-9NY, AKH-0.66 W-12N, AKH-0.66 W-12NY, AKH-0.66 W-20N, AKH-0.66 W-20NY, AKH-0.66 W-30N, AKH-0.66 W-30NY, AKH-0.66 W-45, AKH-0.66 W-45NY, AKH-0.66 W-9N-HB, AKH-0.66 W-12N-HB, AKH-0.66 W-20-HB, AKH-0.66 W-30N-HB, AKH-0.66 W-45-HB, AKH-0.66 W-9A, AKH-0.66 W-9B, AKH-0.66 W-15A, AKH-0.66 W-15B, AKH-0.66 W-10C, AKH-0.66 W-16C, AKH-0.66 EMS, AKH-0.66 M18, AKH-0.66 P-30*30I, AKH-0.66 P-40I, AKH-0.66 P-60I, AKH-0.66 P-80I, AKH-0.66 P-40II, AKH-0.66 P-50II, AKH-0.66 P-60II, AKH-0.66 P-80II, AKH-0.66 P-60*50II, AKH-0.66 P-80*50II, AKH-0.66 P-80*80II, AKH-0.66 P-100*50II, AKH-0.66 P-120*50II, AKH-0.66 P-120*50II-H, AKH-0.66 P-130*50II, AKH-0.66 P-170*100II, AKH-0.66 P-180*50II, AKH-0.66 P-220*50II, AKH-0.66 P-M8, AKH-0.66 P-shuangM8, AKH-0.66 P-60III, AKH-0.66 P-80III, AKH-0.66 P-100III, AKH-0.66 P-130III, AKH-0.66 P-130*80III-N, AKH-0.66 S-30I, AKH-0.66 S-40I, AKH-0.66 S-50II, AKH-0.66 S-60II, AKH-0.66 S-80II, AKH-0.66 S-100II, AKH-0.66 S-120II, AKH-0.66 S-200II, AKH-0.66 SM-50I, AKH-0.66 SM-60II, AKH-0.66 SM-80II, AKH-0.66 SM-100II, AKH-0.66 SM-120II, AKH-0.66 SM-200II, AKH-0.66 L-20, AKH-0.66 L-45, AKH-0.66 L-80,

The certificate is based on a single evaluation of testing samples of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.

EMTEK (Shenzhen) Co., Ltd.

Add: Building 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, China <http://www.emtek.com.cn> E-mail: cs.rep@emtek.com.cn



Appendix

NO.: ENS2510200261S00101C

AKH-0.66 L-100, AKH-0.66 L-150, AKH-0.66 L-200, AKH-0.66 L-170*30, AKH-0.66 L-210*160, AKH-0.66 L-260*160, AKH-0.66 L-300*50, AKH-0.66 L-350*50, AKH-0.66 L-400*50, AKH-0.66 L-400*160, AKH-0.66 L-500*50, AKH-0.66 L-500*160, AKH-0.66 L-650*50, AKH-0.66 L-800*50, AKH-0.66 L-780*160, AKH-0.66 L-80*50II, AKH-0.66 L-100*50II, AKH-0.66 L-130*50II, AKH-0.66 L-180II, AKH-0.66 L-200*50II, AKH-0.66 L-260*100II, AKH-0.66 L30KN, AKH-0.66 L45KN, AKH-0.66 L65KN, AKH-0.66 L80KN, AKH-0.66 L100KN, AKH-0.66 L-30C, AKH-0.66 L-45C, AKH-0.66 L-65C, AKH-0.66 L-85C, AKH-0.66 L-105C, AKH-0.66 L-110*25(PB), AKH-0.66 L-140*35(PB), AKH-0.66 L-190*35(PB), AKH-0.66 L-230*45(PB), AKH-0.66 L-300*60(PB), AKH-0.66 L-400*120(PB), AKH-0.66 L-500*160(PB), AKH-0.66 L-30(PB), AKH-0.66 L-45(PB), AKH-0.66 L-65(PB), AKH-0.66 L-80(PB), AKH-0.66 L-100(PB), AKH-0.66 L-120(PB), AKH-0.66 L-150(PB), AKH-0.66 L-210*160(PB), AKH-0.66 L-260*160(PB), AKH-0.66 L-300*50(PB), AKH-0.66 L-350*50(PB), AKH-0.66 L-400*50(PB), AKH-0.66 G-30I, AKH-0.66 G-30*30I, AKH-0.66 G-40I, AKH-0.66 G-60I, AKH-0.66 G-80I, AKH-0.66 G-40II, AKH-0.66 G-50II, AKH-0.66 G-50*50II, AKH-0.66 G-60II, AKH-0.66 G-60*50II, AKH-0.66 G-80II, AKH-0.66 G-80*50II, AKH-0.66 G-100II, AKH-0.66 G-100*50II, AKH-0.66 G-100*50II-H, AKH-0.66 G-100*80II, AKH-0.66 G-100*80II-H, AKH-0.66 G-120*50II, AKH-0.66 G-130*50II, AKH-0.66 G-120*80II, AKH-0.66 G-120*80II-H, AKH-0.66 G-150*50II, AKH-0.66 G-170*100II, AKH-0.66 G-180*50II, AKH-0.66 G-200*50II, AKH-0.66 G-220*50II, AKH-0.66 G-260*50II, AKH-0.66 G-260*100II, AKH-0.66 G-60III, AKH-0.66 G-80III, AKH-0.66 G-100III, AKH-0.66 G-130III, AKH-0.66 G-130*80III-N, AKH-0.66 K-30*20, AKH-0.66 K-60*40, AKH-0.66 K-80*40, AKH-0.66 K-80*50, AKH-0.66 K-80*80, AKH-0.66 K-100*40, AKH-0.66 K-120*60, AKH-0.66 K-120*80, AKH-0.66 K-130*40, AKH-0.66 K-130*50, AKH-0.66 K-130*60, AKH-0.66

The certificate is based on a single evaluation of testing samples of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.

EMTEK (Shenzhen) Co., Ltd.

Add: Building 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, China <http://www.emtek.com.cn> E-mail: cs.rep@emtek.com.cn



Appendix

NO.: ENS2510200261S00101C

K-140*60, AKH-0.66 K-160*80, AKH-0.66 K-200*80,
AKH-0.66 K-60*50N, AKH-0.66 K-80*50N, AKH-0.66
K-100*50N, AKH-0.66 K-120*50N, AKH-0.66 K-130*40N,
AKH-0.66 K-130*80N, AKH-0.66 K-160*80N, AKH-0.66
K-P-120*60, AKH-0.66 K-P-130*40N, AKH-0.66 K-P-160*80,
AKH-0.66 K-P-200*80, AKH-0.66 K-SW-Φ 16, AKH-0.66
K-SW-Φ 24, AKH-0.66 K-SW-Φ 36, AKH-0.66 40I-C,
AKH-0.66 60I-C, AKH-0.66 80*70II-C, AKH-0.66 100*50II-C,
AKH-0.66 120*50II-C, AKH-0.66 G-40I-C, AKH-0.66 G-60I-C,
AKH-0.66 G-80*70II-C, AKH-0.66 G-100*50II-C, AKH-0.66
G-120*50II-C, AKH-0.66 TD-50III, AKH-0.66 TD-80III,
AKH-0.66 TD-Φ 60, AKH-0.66 TD-Φ 70

Description of model differences:

Material name	Series	Model	Measuring range (A)	Secondary output	Accuracy class	Dimensions (mm)	Working voltage
AKH-0.66	I	30I	5-500	5A, 1A	Class 0.5, Class 1	60*78*36	0.66kV
AKH-0.66	I	20I	5-200	5A, 1A	Class 0.5, Class 1	48*67*36	0.66kV
AKH-0.66	I	40I	10-800	5A, 1A	Class 0.5, Class 1	75*95*45	0.66kV
AKH-0.66	I	60I	150-2000	5A, 1A	Class 0.2, Class 0.5, Class 1	102*130*45	0.66kV
AKH-0.66	I	80I	150-2500	5A, 1A	Class 0.2, Class 0.5, Class 1	118*140*45	0.66kV
AKH-0.66	II	30II	100-600	5A, 1A	Class 0.2, Class 0.5, Class 1	62*98*45	0.66kV
AKH-0.66	II	40II	100-1000	5A, 1A	Class 0.2, Class 0.5, Class 1	79*103*45	0.66kV
AKH-0.66	II	50II	150-1500	5A, 1A	Class 0.2, Class 0.5	87*113*45	0.66kV
AKH-0.66	II	50*50II	500-2000	5A, 1A	Class 0.2, Class 0.5	88*129*52	0.66kV

The certificate is based on a single evaluation of testing samples of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.

EMTEK (Shenzhen) Co., Ltd.

Add: Building 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, China <http://www.emtek.com.cn> E-mail: cs.rep@emtek.com.cn



Appendix

NO.: ENS2510200261S00101C

AKH-0.66	II	60II	200-2000	5A, 1A	Class 0.2, Class 0.5	102*125*45	0.66kV
AKH-0.66	II	60*50II	200-2500	5A, 1A	Class 0.2, Class 0.5	102*142*45	0.66kV
AKH-0.66	II	80II	200-2500	5A, 1A	Class 0.2, Class 0.5	117*119*45	0.66kV
AKH-0.66	II	80*50II	200-3000	5A, 1A	Class 0.2, Class 0.5	120*141*45	0.66kV
AKH-0.66	II	100II	300-3000	5A, 1A	Class 0.2, Class 0.5	145*125*45	0.66kV
AKH-0.66	II	100*50II	300-4000	5A, 1A	Class 0.2, Class 0.5	145*155*50	0.66kV
AKH-0.66	II	100*50II -B	1000-2500	5A, 1A	Class 0.2	135*153*30	0.66kV
AKH-0.66	II	100*80II	600-4000	5A, 1A	Class 0.2, Class 0.5	152*100*55	0.66kV
AKH-0.66	II	100*80II -H	600-5000	5A, 1A	Class 0.2, Class 0.5	152*204*62	0.66kV
AKH-0.66	II	120*80II	1000-5000	5A, 1A	Class 0.2	160*193*60	0.66kV
AKH-0.66	II	120*80II -H	1000-6300	5A, 1A	Class 0.2	175*197*62	0.66kV
AKH-0.66	II	130*50II	600-5000	5A, 1A	Class 0.2, Class 0.5	176*160*50	0.66kV
AKH-0.66	II	150*50II	1000-6000	5A, 1A	Class 0.2	210*176*55	0.66kV
AKH-0.66	II	170*100 II	1500-6000	5A, 1A	Class 0.2	227*230*60	0.66kV
AKH-0.66	II	200*50II	1500-6000	5A, 1A	Class 0.2	247*172*55	0.66kV
AKH-0.66	II	220*50II	1500-6000	5A, 1A	Class 0.2	280*190*60	0.66kV
AKH-0.66	II	260*50II	1200-6300	5A, 1A	Class 0.2	320.5*191*60	0.66kV
AKH-0.66	II	260*100 II	1200-6300	5A, 1A	Class 0.2	308*226*63	0.66kV
AKH-0.66	III	60III	200-2500	5A, 1A	Class 0.2, Class 0.5	117*147*55	0.66kV
AKH-0.66	III	80III	300-3000	5A, 1A	Class 0.2, Class 0.5	117*167*55	0.66kV

The certificate is based on a single evaluation of testing samples of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.

EMTEK (Shenzhen) Co., Ltd.

Add: Building 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, China <http://www.emtek.com.cn> E-mail: cs.rep@emtek.com.cn



Appendix

NO.: ENS2510200261S00101C

AKH-0.66	III	100III	600-4000	5A, 1A	Class 0.2, Class 0.5	120*190*55	0.66kV
AKH-0.66	III	130III	2000-5000	5A, 1A	Class 0.2	125*224*55	0.66kV
AKH-0.66	III	130*80II I-N	1000-6000	5A, 1A	Class 0.2	180*252*80	0.66kV
AKH-0.66	M8	M8	5-100	5A, 1A	Class 1	67*86*30	0.66kV
AKH-0.66	M8	shuang M8	5-100	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	67*86*56	0.66kV
AKH-0.66	Z	Z-3*Φ10	5-60	0-50mA	Class 0.2, Class 0.5, Class 1	30*56*72	0.66kV
AKH-0.66	Z	Z-3*Φ15	5-100	0-50mA	Class 0.2, Class 0.5, Class 1	100*40*30	0.66kV
AKH-0.66	Z	Z-3*Φ20	5-200	0-100mA, 5A, 1A	Class 0.5, Class 1	159*67*34	0.66kV
AKH-0.66	Z	Z-3*Φ35	100-1250	5A, 1A	Class 0.2, Class 0.5, Class 1	230*95*45	0.66kV
AKH-0.66	W	W-7	10-60	0-50mA	Class 0.2	18*30*18	0.66kV
AKH-0.66	W	W-8	5-60	0-100mA	Class 0.2	43*29*18	0.66kV
AKH-0.66	W	W-11	20-60	20-100mA	Class 0.2	19*33.5*34.5	0.66kV
AKH-0.66	W	W-12	5-100	0-100mA	Class 0.2	51*37*19	0.66kV
AKH-0.66	W	W-20	5-200	0-100mA	Class 0.2	51*48.5*19	0.66kV
AKH-0.66	W	W-30	100-400	0-100mA	Class 0.2	60*65*23	0.66kV
AKH-0.66	W	W-9N	50	10-50mA	Class 0.2	28.5*33.5*9. 25	0.66kV
AKH-0.66	W	W-9C	50-60	10-50mA	Class 0.2	26*34*12.5	0.66kV
AKH-0.66	W	W-9NY	50-60	0-50mA	Class 0.2	28.5*33.5*9. 25	0.66kV
AKH-0.66	W	W-12N	100	20-60mA	Class 0.2	36*40*18.5	0.66kV
AKH-0.66	W	W-12NY	20-100	0-50mA	Class 0.2	36*40*18.5	0.66kV
AKH-0.66	W	W-20N	50-100	20-100mA	Class 0.2	43*32.5*28	0.66kV
AKH-0.66	W	W-20NY	200	50mA	Class 0.2	43*32.5*28	0.66kV
AKH-0.66	W	W-30N	200-400	20-100mA	Class 0.2	59*41*28	0.66kV

The certificate is based on a single evaluation of testing samples of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.

EMTEK (Shenzhen) Co., Ltd.

Add: Building 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, China <http://www.emtek.com.cn> E-mail: cs.rep@emtek.com.cn



Appendix

NO.: ENS2510200261S00101C

AKH-0.66	W	W-30NY	200-400	50-100mA	Class 0.2	59*41*28	0.66kV
AKH-0.66	W	W-45	200-600	40-100mA	Class 0.2	75*77*22	0.66kV
AKH-0.66	W	W-45NY	200-600	50-100mA	Class 0.2	75*77*22	0.66kV
AKH-0.66	W	W-9N-H B	50	50mA	Class 0.2	28.5*33.5*9. 25	0.66kV
AKH-0.66	W	W-12N- HB	100	50mA	Class 0.2	36*40*18.5	0.66kV
AKH-0.66	W	W-20-H B	200	50mA	Class 0.2	51*48.5*19	0.66kV
AKH-0.66	W	W-30N- HB	400	50mA	Class 0.2	59*41*28	0.66kV
AKH-0.66	W	W-45-H B	300-600	50mA	Class 0.2	75*77*22	0.66kV
AKH-0.66	W	W-9A	50	50mA	Class 0.2	26*48*57	0.66kV
AKH-0.66	W	W-9B	50	50mA	Class 0.2	26*48*57	0.66kV
AKH-0.66	W	W-15A	100	50mA	Class 0.2	35*58*57	0.66kV
AKH-0.66	W	W-15B	100	50mA	Class 0.2	35*58*57	0.66kV
AKH-0.66	W	W-10C	50-100	50mA	Class 0.2	27*37*27.5	0.66kV
AKH-0.66	W	W-16C	200	50mA	Class 0.2	36*46*32.9	0.66kV
AKH-0.66	W	EMS	50/60	10-50mA	Class 0.2	46.5*77*18	0.66kV
AKH-0.66	W	M18	60	60mA	Class 0.2	41*52.517.5	0.66kV
AKH-0.66	P	P-30*30 I	100-400	5A, 1A	5P, 10P	85*102*50	0.66kV
AKH-0.66	P	P-40I	200-600	0-50mA	Class 0.5	75*95*45	0.66kV
AKH-0.66	P	P-60I	250-1000	0-50mA	Class 0.5	102*130*45	0.66kV
AKH-0.66	P	P-80I	800-1200	0-50mA	Class 0.5	118*140*45	0.66kV
AKH-0.66	P	P-40II	200-600	5A, 1A	5P, 10P	79*103*45	0.66kV
AKH-0.66	P	P-50II	250-600	5A, 1A	5P, 10P	87*113*45	0.66kV
AKH-0.66	P	P-60II	250-800	5A, 1A	5P, 10P	102*125*45	0.66kV
AKH-0.66	P	P-80II	500-1500	5A, 1A	5P, 10P	117*119*45	0.66kV
AKH-0.66	P	P-60*50 II	100-2000	5A, 1A	5P, 10P	102*142*45	0.66kV
AKH-0.66	P	P-80*50 II	200-2500	5A, 1A	5P, 10P	120*141*45	0.66kV

The certificate is based on a single evaluation of testing samples of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.

EMTEK (Shenzhen) Co., Ltd.

Add: Building 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, China [Http://www.emtek.com.cn](http://www.emtek.com.cn) E-mail: cs.rep@emtek.com.cn



Appendix

NO.: ENS2510200261S00101C

AKH-0.66	P	P-80*80 II	500-3000	5A, 1A	5P, 10P	164*187*69	0.66kV
AKH-0.66	P	P-100*5 OII	600-4000	5A, 1A	5P, 10P	145*155*50	0.66kV
AKH-0.66	P	P-120*5 OII	600-5000	5A, 1A	5P, 10P	174*168*50	0.66kV
AKH-0.66	P	P-120*5 OII-H	600-5000	5A, 1A	5P, 10P	201*177*75	0.66kV
AKH-0.66	P	P-130*5 OII	600-5000	5A, 1A	5P, 10P	176*160*50	0.66kV
AKH-0.66	P	P-170*1 OOII	1000-5000	5A, 1A	5P, 10P	227*230*60	0.66kV
AKH-0.66	P	P-180*5 OII	1000-5000	5A, 1A	5P, 10P	239*181*60	0.66kV
AKH-0.66	P	P-220*5 OII	1000-6300	5A, 1A	5P, 10P	280*190*60	0.66kV
AKH-0.66	P	P-M8	100-400	5A, 1A	10P	67*86*30	0.66kV
AKH-0.66	P	P-shuan gM8	5-100	5A, 1A	10P	67*86*56	0.66kV
AKH-0.66	P	P-60III	200-1500	5A, 1A	5P, 10P	117*147*55	0.66kV
AKH-0.66	P	P-80III	500-3000	5A, 1A	5P, 10P	117*167*55	0.66kV
AKH-0.66	P	P-100III	600-3000	5A, 1A	5P, 10P	120*190*55	0.66kV
AKH-0.66	P	P-130III	1000-5000	5A, 1A	5P, 10P	125*224*55	0.66kV
AKH-0.66	P	P-130*8 OIII-N	1000-6000	5A, 1A	5P, 10P	180*252*80	0.66kV
AKH-0.66	S	S-30I	5-200	5A, 1A/20mA	0.2/Class 0.2, 0.5/Class 0.2, 1/Class 0.2	85*139*44	0.66kV
AKH-0.66	S	S-40I	200-600	5A, 1A/20mA	0.2/Class 0.2, 0.5/Class 0.2, 1/Class 0.2	85*139*44	0.66kV

The certificate is based on a single evaluation of testing samples of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.

EMTEK (Shenzhen) Co., Ltd.

Add: Building 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, China [Http://www.emtek.com.cn](http://www.emtek.com.cn) E-mail: cs.rep@emtek.com.cn



Appendix

NO.: ENS2510200261S00101C

AKH-0.66	S	S-50II	600-1250	5A, 1A/20mA	0.2/Class 0.2, 0.5/Class 0.2, 1/Class 0.2	96*146*45	0.66kV
AKH-0.66	S	S-60II	300-2000	5A, 1A/20mA	0.2/Class 0.2, 0.5/Class 0.2, 1/Class 0.2	102*143*45	0.66kV
AKH-0.66	S	S-80II	600-3000	5A, 1A/20mA	0.2/Class 0.2, 0.5/Class 0.2, 1/Class 0.2	120*148*45	0.66kV
AKH-0.66	S	S-100II	1000-4000	5A, 1A/20mA	0.2/Class 0.2, 0.5/Class 0.2, 1/Class 0.2	150*175*45	0.66kV
AKH-0.66	S	S-120II	2000-5000	5A, 1A/20mA	0.2/Class 0.2, 0.5/Class 0.2, 1/Class 0.2	168*180*50	0.66kV
AKH-0.66	S	S-200II	2000-5000	5A, 1A/20mA	0.2/Class 0.2, 0.5/Class 0.2, 1/Class 0.2	253*180*60	0.66kV
AKH-0.66	SM	SM-50I	5-1200	AC5A, 1A/4-20mA	0.2/Class 0.5, 0.5/Class 0.5, 1/Class 1	96*146*45	0.66kV
AKH-0.66	SM	SM-60II	300-2000	AC5A, 1A/4-20mA	0.2/Class 0.5, 0.5/Class 0.5, 1/Class 1	98*145*45	0.66kV

The certificate is based on a single evaluation of testing samples of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.

EMTEK (Shenzhen) Co., Ltd.

Add: Building 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, China [Http://www.emtek.com.cn](http://www.emtek.com.cn) E-mail: cs.rep@emtek.com.cn



Appendix

NO.: ENS2510200261S00101C

AKH-0.66	SM	SM-80II	600-3000	AC5A, 1A/4-20mA	0.2/Class 0.5, 0.5/Class 0.5, 1/Class 1	118*152*45	0.66kV
AKH-0.66	SM	SM-100I I	1000-4000	AC5A, 1A/4-20mA	0.2/Class 0.5, 0.5/Class 0.5, 1/Class 1	140*155*49	0.66kV
AKH-0.66	SM	SM-120I I	2000-5000	AC5A, 1A/4-20mA	0.2/Class 0.5, 0.5/Class 0.5, 1/Class 1	167*187*48	0.66kV
AKH-0.66	SM	SM-200I I	2000-6300	AC5A, 1A/4-20mA	0.2/Class 0.5, 0.5/Class 0.5, 1/Class 1	246*208*56	0.66kV
AKH-0.66	L	L-20	1-5A	0.5-5mA	Class 1	50.5*44.5*19	0.66kV
AKH-0.66	L	L-45	1-5A	0.5-5mA	Class 1	75*75*22	0.66kV
AKH-0.66	L	L-80	1-5A	0.5-5mA	Class 1	120*120*23	0.66kV
AKH-0.66	L	L-100	1-5A	0.5-5mA	Class 1	140*140*23	0.66kV
AKH-0.66	L	L-150	1-5A	0.5-5mA	Class 1	196*205*24	0.66kV
AKH-0.66	L	L-200	1-5A	0.5-5mA	Class 1	240*247*28	0.66kV
AKH-0.66	L	L-170*3 0	1-5A	0.5-5mA	Class 1	215*84*40	0.66kV
AKH-0.66	L	L-210*1 60	1-5A	0.5-5mA	Class 1	262*221*45	0.66kV
AKH-0.66	L	L-260*1 60	1-5A	0.5-5mA	Class 1	312*220*45	0.66kV
AKH-0.66	L	L-300*5 0	1-5A	0.5-5mA	Class 1	352*110*45	0.66kV
AKH-0.66	L	L-350*5 0	1-5A	0.5-5mA	Class 1	402*110*45	0.66kV
AKH-0.66	L	L-400*5 0	1-5A	0.5-5mA	Class 1	452*110*45	0.66kV

The certificate is based on a single evaluation of testing samples of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.

EMTEK (Shenzhen) Co., Ltd.

Add: Building 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, China <http://www.emtek.com.cn> E-mail: cs.rep@emtek.com.cn



Appendix

NO.: ENS2510200261S00101C

AKH-0.66	L	L-400*1 60	1-5A	0.5-5mA	Class 1	450*213*50	0.66kV
AKH-0.66	L	L-500*5 0	1-5A	0.5-5mA	Class 1	548*102*50	0.66kV
AKH-0.66	L	L-500*1 60	1-5A	0.5-5mA	Class 1	553*217*50	0.66kV
AKH-0.66	L	L-650*5 0	1-5A	0.5-5mA	Class 1	705*103*50	0.66kV
AKH-0.66	L	L-800*5 0	1-5A	0.5-5mA	Class 1	852*104*50	0.66kV
AKH-0.66	L	L-780*1 60	1-5A	0.5-5mA	Class 1	830*212*50	0.66kV
AKH-0.66	L	L-80*50I I	1-5A	0.5-5mA	Class 1	120*141*45	0.66kV
AKH-0.66	L	L-100*5 0II	1-5A	0.5-5mA	Class 1	145*155*50	0.66kV
AKH-0.66	L	L-130*5 0II	1-5A	0.5-5mA	Class 1	176*160*50	0.66kV
AKH-0.66	L	L-180II	1-5A	0.5-5mA	Class 1	228*115*48	0.66kV
AKH-0.66	L	L-200*5 0II	1-5A	0.5-5mA	Class 1	247*175*55	0.66kV
AKH-0.66	L	L-260*1 00II	1-5A	0.5-5mA	Class 1	308*225*63	0.66kV
AKH-0.66	L	L30KN	1	0.5mA	Class 1	85.5*65*23.6	0.66kV
AKH-0.66	L	L45KN	1	0.5mA	Class 1	107*83.5*28	0.66kV
AKH-0.66	L	L65KN	1	0.5mA	Class 1	126.5*103.5* 28	0.66kV
AKH-0.66	L	L80KN	1	0.5mA	Class 1	139*118.5*2 8	0.66kV
AKH-0.66	L	L100KN	1	0.5mA	Class 1	160.5*138.5* 28	0.66kV
AKH-0.66	L	L-30C	1	1mA	Class 1	60*65*25	0.66kV
AKH-0.66	L	L-45C	1	1mA	Class 1	75*85*25	0.66kV
AKH-0.66	L	L-65C	1	1mA	Class 1	100*105*25	0.66kV
AKH-0.66	L	L-85C	1	1mA	Class 1	127*131*28	0.66kV
AKH-0.66	L	L-105C	1	1mA	Class 1	147.5*148*2 8	0.66kV

The certificate is based on a single evaluation of testing samples of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.

EMTEK (Shenzhen) Co., Ltd.

Add: Building 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, China <http://www.emtek.com.cn> E-mail: cs.rep@emtek.com.cn



Appendix

NO.: ENS2510200261S00101C

AKH-0.66	L	L-110*2 5(PB)	1-5A	0.5-5mA	Class 1	186*70*28	0.66kV
AKH-0.66	L	L-140*3 5(PB)	1-5A	0.5-5mA	Class 1	214*81*28	0.66kV
AKH-0.66	L	L-190*3 5(PB)	1-5A	0.5-5mA	Class 1	270*85*28	0.66kV
AKH-0.66	L	L-230*4 5(PB)	1-5A	0.5-5mA	Class 1	310*95*28	0.66kV
AKH-0.66	L	L-300*6 0(PB)	1-5A	0.5-5mA	Class 1	426*127*45	0.66kV
AKH-0.66	L	L-400*1 20(PB)	1-5A	0.5-5mA	Class 1	504*243*60	0.66kV
AKH-0.66	L	L-500*1 60(PB)	1-5A	0.5-5mA	Class 1	612*291*60	0.66kV
AKH-0.66	L	L-30(PB)	1-5A	0.5-5mA	Class 1	76*67*25	0.66kV
AKH-0.66	L	L-45(PB)	1-5A	0.5-5mA	Class 1	98*86*28	0.66kV
AKH-0.66	L	L-65(PB)	1-5A	0.5-5mA	Class 1	124*105*28	0.66kV
AKH-0.66	L	L-80(PB)	1-5A	0.5-5mA	Class 1	140*130*32	0.66kV
AKH-0.66	L	L-100(P B)	1-5A	0.5-5mA	Class 1	167*148*32	0.66kV
AKH-0.66	L	L-120(P B)	1-5A	0.5-5mA	Class 1	188*172*32	0.66kV
AKH-0.66	L	L-150(P B)	1-5A	0.5-5mA	Class 1	225*206*32	0.66kV
AKH-0.66	L	L-210*1 60(PB)	1-5A	0.5-5mA	Class 1	262*221*45	0.66kV
AKH-0.66	L	L-260*1 60(PB)	1-5A	0.5-5mA	Class 1	312*220*45	0.66kV
AKH-0.66	L	L-300*5 0(PB)	1-5A	0.5-5mA	Class 1	352*110*45	0.66kV
AKH-0.66	L	L-350*5 0(PB)	1-5A	0.5-5mA	Class 1	402*110*45	0.66kV
AKH-0.66	L	L-400*5 0(PB)	1-5A	0.5-5mA	Class 1	510*184*60	0.66kV

The certificate is based on a single evaluation of testing samples of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.

EMTEK (Shenzhen) Co., Ltd.

Add: Building 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, China [Http://www.emtek.com.cn](http://www.emtek.com.cn) E-mail: cs.rep@emtek.com.cn



Appendix

NO.: ENS2510200261S00101C

AKH-0.66	G	G-30I	10-500	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	62*78*45	0.66kV
AKH-0.66	G	G-30*30 I	5-400	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	85*102*50	0.66kV
AKH-0.66	G	G-40I	200-800	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	75*95*45	0.66kV
AKH-0.66	G	G-60I	250-2000	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	102*130*45	0.66kV
AKH-0.66	G	G-80I	700-2500	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	118*140*45	0.66kV
AKH-0.66	G	G-40II	200-800	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	78*103*45	0.66kV
AKH-0.66	G	G-50II	300-1500	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	87*113*45	0.66kV
AKH-0.66	G	G-50*50 II	750-2000	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	88*129*52	0.66kV
AKH-0.66	G	G-60II	250-2000	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	102*125*45	0.66kV
AKH-0.66	G	G-60*50 II	800-2500	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	102*142*45	0.66kV
AKH-0.66	G	G-80II	400-2500	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	117*119*45	0.66kV
AKH-0.66	G	G-80*50 II	500-3000	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	120*141*45	0.66kV
AKH-0.66	G	G-100II	1000-3000	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	145*125*45	0.66kV

The certificate is based on a single evaluation of testing samples of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.

EMTEK (Shenzhen) Co., Ltd.

Add: Building 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, China [Http://www.emtek.com.cn](http://www.emtek.com.cn) E-mail: cs.rep@emtek.com.cn



Appendix

NO.: ENS2510200261S00101C

AKH-0.66	G	G-100*5 0II	1500-4000	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	145*155*50	0.66kV
AKH-0.66	G	G-100*5 0II-H	1500-4000	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	145*155*50	0.66kV
AKH-0.66	G	G-100*8 0II	1500-4000	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	152*190*55	0.66kV
AKH-0.66	G	G-100*8 0II-H	1500-5000	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	152*203.8*6 2	0.66kV
AKH-0.66	G	G-120*5 0II	1500-5000	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	174*168*48	0.66kV
AKH-0.66	G	G-130*5 0II	1500-5000	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	176*160*50	0.66kV
AKH-0.66	G	G-120*8 0II	1500-6300	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	160*193*60	0.66kV
AKH-0.66	G	G-120*8 0II-H	1500-6300	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	175*197*62	0.66kV
AKH-0.66	G	G-150*5 0II	1500-6000	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	210*176*55	0.66kV
AKH-0.66	G	G-170*1 00II	2500-6000	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	227*230*60	0.66kV
AKH-0.66	G	G-180*5 0II	2500-5000	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	239*181*60	0.66kV
AKH-0.66	G	G-200*5 0II	2500-5000	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	247*172*55	0.66kV
AKH-0.66	G	G-220*5 0II	2500-5000	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	280*190*60	0.66kV

The certificate is based on a single evaluation of testing samples of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.

EMTEK (Shenzhen) Co., Ltd.

Add: Building 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, China [Http://www.emtek.com.cn](http://www.emtek.com.cn) E-mail: cs.rep@emtek.com.cn



Appendix

NO.: ENS2510200261S00101C

AKH-0.66	G	G-260*5 0II	2500-5000	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	320*191*60	0.66kV
AKH-0.66	G	G-260*1 00II	2500-5000	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	308*226*63	0.66kV
AKH-0.66	G	G-60III	500-2500	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	117*147*55	0.66kV
AKH-0.66	G	G-80III	500-3000	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	117*167*55	0.66kV
AKH-0.66	G	G-100III	600-5000	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	120*190*55	0.66kV
AKH-0.66	G	G-130III	1000-4000	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	125*224*55	0.66kV
AKH-0.66	G	G-130*8 0III-N	1000-6000	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	180*252*80	0.66kV
AKH-0.66	K	K-30*20	20-400	5A, 1A	Class 0.2, Class 0.5, Class 1	90*114*40	0.66kV
AKH-0.66	K	K-60*40	250-1500	5A, 1A	Class 0.2, Class 0.5, Class 1	114*140*36	0.66kV
AKH-0.66	K	K-80*40	300-2500	5A, 1A	Class 0.2, Class 0.5, Class 1	122*162*40	0.66kV
AKH-0.66	K	K-80*50	250-1500	5A, 1A	Class 0.2, Class 0.5, Class 1	114*159*36	0.66kV
AKH-0.66	K	K-80*80	250-1000	5A, 1A	Class 0.2, Class 0.5, Class 1	144*159*36	0.66kV
AKH-0.66	K	K-100*4 0	1000-4000	5A, 1A	Class 0.2, Class 0.5, Class 1	144*194*52	0.66kV

The certificate is based on a single evaluation of testing samples of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.

EMTEK (Shenzhen) Co., Ltd.

Add: Building 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, China [Http://www.emtek.com.cn](http://www.emtek.com.cn) E-mail: cs.rep@emtek.com.cn



Appendix

NO.: ENS2510200261S00101C

AKH-0.66	K	K-120*6 0	400-4000	5A, 1A	Class 0.2, Class 0.5, Class 1	164*214*52	0.66kV
AKH-0.66	K	K-120*8 0	500-1500	5A, 1A	Class 0.2, Class 0.5, Class 1	144*199*36	0.66kV
AKH-0.66	K	K-130*4 0	1000-4000	5A, 1A	Class 0.2, Class 0.5, Class 1	144*224*52	0.66kV
AKH-0.66	K	K-130*5 0	1000-5000	5A, 1A	Class 0.2, Class 0.5, Class 1	145*222*50. 5	0.66kV
AKH-0.66	K	K-130*6 0	1000-6000	5A, 1A	Class 0.2, Class 0.5, Class 1	170*222*70	0.66kV
AKH-0.66	K	K-140*6 0	1000-5000	5A, 1A	Class 0.2, Class 0.5, Class 1	164*234*52	0.66kV
AKH-0.66	K	K-160*8 0	1000-5000	5A, 1A	Class 0.2, Class 0.5, Class 1	184*254*52	0.66kV
AKH-0.66	K	K-200*8 0	1000-5000	5A, 1A	Class 0.2, Class 0.5, Class 1	184*294*52	0.66kV
AKH-0.66	K	K-60*50 N	500-2000	5A, 1A	Class 0.2, Class 0.5, Class 1	135*122*45	0.66kV
AKH-0.66	K	K-80*50 N	500-3000	5A, 1A	Class 0.2, Class 0.5, Class 1	137*143*45. 5	0.66kV
AKH-0.66	K	K-100*5 0N	1000-4000	5A, 1A	Class 0.2, Class 0.5, Class 1	152*163*50. 5	0.66kV
AKH-0.66	K	K-120*5 0N	1000-5000	5A, 1A	Class 0.2, Class 0.5, Class 1	162*189*53. 5	0.66kV
AKH-0.66	K	K-130*4 0N	1000-5000	5A, 1A	Class 0.2, Class 0.5, Class 1	144*202*51	0.66kV

The certificate is based on a single evaluation of testing samples of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.

EMTEK (Shenzhen) Co., Ltd.

Add: Building 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, China Http://www.emtek.com.cn E-mail: cs.rep@emtek.com.cn



Appendix

NO.: ENS2510200261S00101C

AKH-0.66	K	K-130*8 0N	1000-5000	5A, 1A	Class 0.2, Class 0.5, Class 1	200*199*57. 5	0.66kV
AKH-0.66	K	K-160*8 0N	1000-5000	5A, 1A	Class 0.2, Class 0.5, Class 1	200*229*57. 5	0.66kV
AKH-0.66	K-P	K-P-120 *60	300-3000	5A, 1A	5P, 10P	164*214*52	0.66kV
AKH-0.66	K-P	K-P-130 *40N	1000-5000	5A, 1A	5P, 10P	144*202*51	0.66kV
AKH-0.66	K-P	K-P-160 *80	500-5000	5A, 1A	5P, 10P	184*254*52	0.66kV
AKH-0.66	K-P	K-P-200 *80	500-5000	5A, 1A	5P, 10P	184*294*52	0.66kV
AKH-0.66	K-SW	K-SW-Φ 16	20-100	0-50mA	Class 0.5	38*50*45	0.66kV
AKH-0.66	K-SW	K-SW-Φ 24	100-400	40-100mA	Class 0.5	49*71*59	0.66kV
AKH-0.66	K-SW	K-SW-Φ 36	200-600	50-100mA	Class 0.5	59*84.5*48	0.66kV
AKH-0.66	C	40I-C	100-800	5A, 1A	Class 0.2, Class 0.5, Class 1	82*82*40	0.66kV
AKH-0.66	C	60I-C	500*2500	5A, 1A	Class 0.2, Class 0.5, Class 1	143*143*45	0.66kV
AKH-0.66	C	80*70II- C	1000-5000	5A, 1A	Class 0.2, Class 0.5, Class 1	177*179*55	0.66kV
AKH-0.66	C	100*50II- C	1500-6300	5A, 1A	Class 0.2, Class 0.5, Class 1	205*205*55	0.66kV
AKH-0.66	C	120*50II- C	2000-6300	5A, 1A	Class 0.2, Class 0.5, Class 1	231*155*53	0.66kV
AKH-0.66	C	G-40I-C	100-800	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	82*82*40	0.66kV

The certificate is based on a single evaluation of testing samples of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.

EMTEK (Shenzhen) Co., Ltd.

Add: Building 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, China [Http://www.emtek.com.cn](http://www.emtek.com.cn) E-mail: cs.rep@emtek.com.cn



Appendix

NO.: ENS2510200261S00101C

AKH-0.66	C	G-60I-C	500*2500	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	143*143*45	0.66kV
AKH-0.66	C	G-80*70 II-C	1000-5000	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	177*179*55	0.66kV
AKH-0.66	C	G-100*5 0II-C	1500-6300	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	205*205*55	0.66kV
AKH-0.66	C	G-120*5 0II-C	2000-6300	5A, 1A	Class 0.2S, Class 0.5S, Class 0.2	231*155*53	0.66kV
AKH-0.66	C	TD-50III	300-800	20mA	Class 0.2	90*103*43	0.66kV
AKH-0.66	C	TD-80III	600-1600	20mA	Class 0.2	100*133*47	0.66kV
AKH-0.66	C	TD-Φ60	300-1000	20mA	Class 0.2	Φ108.5*35	0.66kV
AKH-0.66	C	TD-Φ70	600-1200	20mA	Class 0.2	Φ122*35	0.66kV

The certificate is based on a single evaluation of testing samples of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.

EMTEK (Shenzhen) Co., Ltd.

Add: Building 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, China [Http://www.emtek.com.cn](http://www.emtek.com.cn) E-mail: cs.rep@emtek.com.cn

